## PRODUCTION OF A TOPOGRAPHICAL MAP

By

### CHRISTOU ANDRI

and

**THEODOROU MARIA** 

Project Report Submitted to the Department of Civil Engineering of the Higher Technical Institute

Nicosia - Cyprus

in partial fulfillment of the requirements for the diploma of

## **TECHNICIAN ENGINEER**

in

## **CIVIL ENGINEERING**

**JUNE 1994** 



#### ACKNOWLEDGEMENTS

It is our duty to express our sincere thanks to all, who in any way helped in the presentation of this project.

Mr. Anastasiades Klitos, our supervisor, Lecturer in Civil Engineering of the H.T.I., for the useful guidance and advise during the process of the project.

The Lab Assistants of Civil Engineering of the H.T.I., especially Mr. Agathocleous M., for their help and assistance.

Mr. Kyriakos Kyriakou, Civil Engineer, for his generosity in the use of his computer.

Our colleque Theodorou Andreas who helped us during the practical stage of the project.

Finally, we would like to thank through this page, all our friends, colleques and other people who help us to perform this project.

# CHRISTOU ANDRI THEODOROU MARIA

#### **SUMMARY**

The object of this project is to produce a topographical map of an area 600 x 300 m.

This area lies between the "MMA $\Delta$ " buildings and the back of the Philoxenia Hotel.

The procedure of the project started with a reconnaisance survey of the area and this a selection of the most suitable stations was made.

Chain surveying was the first step. The whole procedure of chain hold three weeks and during this all features existing in the above specified area were taken.

Levelling procedure was followed. For Bench Mark station 17 was used considering its height + 100.000m.

Traverse surveying was the next step. The method of closed traverse was preferable to work with in order to be able to check the readings, by closing the traverse lines at the station 1. Coordinates of the stations were found.

Finally contouring was the last step. The method used for contouring was the gridding (every 20m). Contour lines were drawn at 1.00m intervals.

By the combination of the above three maps were drawn:

1. Traverse

2. / Levelling and Contouring

3. Final map

3

# **CONTENTS**

# PAGE

| Acnowledgements    | 1   |
|--------------------|-----|
| Contents           | 2   |
| Summary            | 3   |
| Introduction       | 4   |
| CHAPTER I          |     |
| Chain Surveying    | 10  |
| CHAPTER II         |     |
| Traverse Surveying | 59  |
| CHAPTER III        |     |
| Levelling          | 88  |
| CHAPTER IV         |     |
| Contouring         | 107 |
| Conclusions        | 133 |
| References         | 136 |
| Maps               | 137 |