## DESIGN OF THE ELECTRICAL SERVICES OF AN INTELLIGENT BUILDING

## PROJECT REPORT SUBMITTED BY STAVROS ANTONIOU

TO THE DEPARTMENT OF ELECTRICAL

ENGINEERING OF THE TECHNICAL

INSTITUTE

NICOSIA – CYPRUS

IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DIPLOMA OF

IN
ELECTRICAL ENGINEERING
JUNE 2006

PROJECT SUPERVISOR: Mr AVRAAM GEORGIOU LECTURER OF THE ELECTRICAL ENGINEERING DEPARTMENT, H.T.I.

## **SUMMARY**

The purpose of this work is to study and examine the design of the electrical service of an intelligent building. The design must be carried out with care and responsibility as it is involved with the safety of people, livestock and property.

The whole design must be carried out in accordance to IEE wiring regulations  $16^{th}$  edition, EAC and CYTA regulations.

The design of the electrical service of an intelligent building is explained in detail in the main body of the report. The main body is divided into 14 chapters to simplify the study of the project.

At the end of the report appendices are included giving specification for the device and the equipment used.

And eventually detailed architectural drawings are provided.

Page 7 of 150

ACKNOWLEDGMEN 15	0
SUMMARY	7
INTRODUCTION	8
CHAPTER 1	9
ILLUMINATION DESIGN	9
1.1 introductions	9
1.2 units and definitions	9
1.3 Design procedure:	11
1.4 examples of calculations:	13
CHAPTER 2	17
SOCKETS	17
2.1. General:	17
2.2. Calculation procedure for a ring circuit:	18
2.3. Socket outlet calculations:	18
2.4 residual current device check:	22
2.5 Calculation of diameter of conduit for the socket cct	23
2.6 Tabulate results for sockets	24
CHAPTER 3	25
LIGHTING	25
2.1.0	25
	25
3.2 Circuits design procedure:	26
3.3 Typical calculations:	20 27
3.3 Typical calculations:	56
2.4 Calculation of conduits diameter for lighting circuit:	57
3.5 Tabulate the result for lighting circuit:	
CHAPTER 4	58
FIXED APPLIANCES	58
4.1 water heater:	58
4.2 hand dryer:	61
4.3 Under floor Power tracks:	63
4.4 lift panel	69
4.5 13A F.S.U for extract fan, fire alarm and security panel, access control panel:	72
4.6 3A F.S.U For fcus	74
4.6 5A F.S.U FOR ROLLING SHUTTERS AND FCUS:	77
4.7 VRV unit and heat recovery unit:	80
CHAPTER 5	90
DISTRIBUTION BOARDS	90
5.1 distribution board diagram:	90
5.1 calculations:	107
CHAPTER 6	122
FAULT LEVEL CALCULATION	122
7.1 General:	122
7.2 Calculations	123
CHAPTER 7	124
POWER FACTOR CORRECTION UNIT	124
7.1General Description:	124
7.1.1 What is Power Factor?	125
7.1.2 What does it do to my electricity bill?	125
7.1.3 What causes Power Factor to change?	125

7.1.4 The effects of power factor.	126
7.1.5 Why do I need Power factor correction?	126
7.1.6 How does it work?	126
7.2 typical calculations	127
CHAPTER 8	129
EARTHING	129
8.1 Introduction	129
8.2. Earthling requirements	129
8.2.1 Methods of earthing	129
8.2.2 Circuit protective conductor	129
8.2.3 Earth electrode	129
8.2.4 Main earthing terminal	129
8.2.5 Earthing conductor	129
8.2.6 Main equipotential bonding conductor	130
8.2.7suplementary equipotential bonding conductor	130
8.2.8 Expose conductive parts	130
8.2.9 Extraneous conductive parts	130
8.2.10 earth fault loop impedance	130
CHAPTER 9	131
EMERGENCY LIGHTING	131
10.1 location requiring emergency lighting	131
10.2 design	131
10.2.1 Wiring	132
10.2.2 Connection	132
10.2.3 Emergency luminaire	132
CHAPTER 10	133
FIRE ALARM	133
10.1 Equipment locations	133
10.1.1 Smoke detectors:	133
10.1.2 Heat detectors:	133
10.1.3 Manual call points:	133
10.1.4 Control panels:	133
10.1.5 Sounders:	133
10.2 Design	134
10.2.1 Zoning	134
10.2.2 Equipment used	134
10.2.3 Wiring	134
fire alarm schematic diagram:	135
CHAPTER 11	136
INTRUDER ALARM SYSTEM AND CCTV	136
11.1 Introduction	136
11.2 consulation, security	136
11.3 main parts	136
11.5 design	138
11.5.1 Zoning	138
11.5.2 Equipment used	138
11.5.3 Wiring	138
11.5.4 Burglar alarm and CCTV schematic diagram	139

CHAPTER 12	140
TELEPHONE SYSTEM	140
12.1 Introduction/ regulations	140
12.2 Wiring diagrams	143
12.3 List of connection	144
CONCLUSIONS	148
REFERENCES	149
APPENDICES	150