

HIGHER TECHNICAL INSTITUTE

MECHANICAL ENGINEERING DEPARTMENT

DIPLOMA PROJECT

DESIGN OF A SPACE HEATING AND  
SOLAR HOT WATER SUPPLY SYSTEM  
FOR A BUILDING

M/1027

ANASTASIOS ANGELIDES

JUNE 2007

DESIGN OF A SPACE HEATING AND  
SOLAR HOT WATER SUPPLY SYSTEM  
FOR A BUILDING

by

ANGELIDES ANASTASIOS

PROJECT REPORT

Submitted to:

the department of mechanical Engineering of the  
Higher Technical Institute.

Nicosia-Cyprus

*In partial fulfillment of the requirements  
For the diploma of*

TECHNICIAN ENGINEER  
IN  
MECHANICAL ENGINEERING

June 2007

HIGHER TECHNICAL INSTITUTE	PROJECT NO 3721
----------------------------------	--------------------

## ACKNOWLEDGEMENTS

*I would like to express my sincere thanks and appreciation for help and guidance given to me throughout this project by my project supervisor Dr.Th. Symeou.*

*I would like also to thank the engineers in the companies, Ηλιόφωτου & Ζινιερης and Arencο.*

*Specially, I would like to thank my parents, for their support and to dedicate my diploma project to them.*

*I would like also to thank my girlfriend for her help & support and I want to dedicate my diploma to her, and finally I would like to thank my best girlfriends who helped me.*

*Anastasios Angelis*  
*June 2*

	<b>PAGE</b>
<b>CHAPTER 1</b>	
<b>1.1 INTRODUCTION</b>	<b>1</b>
<b>1.2 Heat Losses through structure</b>	<b>1</b>
<b>1.2.1 Structure of Fabric Losses</b>	<b>1</b>
<b>1.2.2 Infiltration Losses</b>	<b>2</b>
<b>1.3 Factors affecting the heat Requirements</b>	<b>3</b>
<b>1.4 Applies thermal properties of building materials</b>	<b>4</b>
<b>1.5 Overall coefficient of heat transmission</b>	<b>5</b>
<b>1.6 U-value calculations</b>	<b>7</b>
<b>1.6.2 U-value for brick external wall (200 mm)</b>	<b>9</b>
<b>1.6.3 U-value For floor</b>	<b>10</b>
<b>1.6.4 U-value For concrete roof</b>	<b>11</b>
<b>1.6.5 U-value for windows and doors</b>	<b>12</b>
<b>1.6.6 Table with the results of U-values</b>	<b>13</b>
<b>Tables of Fabric Losses</b>	<b>15-50</b>
<b>C/H System Basics</b>	

## **CHAPTER 2**

<b>2.1 INTRODUCTION</b>	
<b>2.2 Selection of the heating method</b>	<b>52</b>
<b>2.3 Natural convectors</b>	<b>53</b>
<b>2.4 Forced convectors</b>	<b>53</b>
<b>2.5 Floor Heating</b>	<b>54</b>
<b>2.5.1 How does Radiant Floor Heating work?</b>	<b>54</b>
<b>2.6 Radiators</b>	<b>55</b>
<b>2.7 Emitter selection – comparison between Radiator &amp; Floor Heating</b>	<b>55</b>
<b>2.8 Selection of the Method of Hot Water circulation</b>	<b>57</b>
<b>2.9 Selection of the type of circuit</b>	<b>58</b>
<b>2.10 Radiator Selection</b>	<b>61</b>
<b>2.10.1 Design water temperature</b>	<b>61</b>

<b>2.10.2</b>	<b>Conversion Factor</b>	<b>63</b>
<b>2.10.3</b>	<b>Procedure For the Selection of Radiators</b>	<b>64</b>
<b>2.10.4</b>	<b>Tables of the Selected Radiators</b>	<b>64</b>

## **CHAPTER 3**

	<b>HOT &amp; COLD WATER SERVICES</b>	<b>65</b>
<b>3.1</b>	<b>INTRODUCTION</b>	<b>66</b>
<b>3.2</b>	<b>Types of water Heating</b>	<b>66</b>
<b>3.3</b>	<b>Selection of the Hot water Supply System</b>	<b>66</b>
<b>3.4</b>	<b>Indirect hot water system combined with space Heating</b>	<b>69</b>
<b>3.5</b>	<b>Pipe arrangement considerations</b>	<b>69</b>
<b>3.6</b>	<b>Determination of the Hot water cylinders' capacity</b>	<b>70</b>
<b>3.7</b>	<b>Determination of boiler's power</b>	<b>71</b>

## **CHAPTER 4**

	<b>EQUIPMENT SIZING &amp; SELECTION</b>	<b>72</b>
<b>4.1</b>	<b>INTRODUCTION</b>	<b>73</b>
<b>4.2</b>	<b>Boiler Sizing</b>	<b>73</b>
<b>4.2.1</b>	<b>Boiler Selection</b>	<b>74</b>
<b>4.3</b>	<b>Burner Sizing</b>	<b>76</b>
<b>4.3.1</b>	<b>Burner Selection</b>	<b>76</b>
<b>4.4</b>	<b>Expansion Vessel Sizing</b>	<b>76</b>
<b>4.4.1</b>	<b>Expansion vessel Selection</b>	<b>79</b>
<b>4.5</b>	<b>Chimney Sizing</b>	<b>79</b>
<b>4.6</b>	<b>Fuel oil tank Sizing</b>	<b>81</b>
<b>4.6.1</b>	<b>Fuel oil tank Selection</b>	<b>82</b>
<b>4.7.1</b>	<b>Pumps Positioning</b>	<b>84</b>
<b>4.7.2</b>	<b>Central Heating System Pumps Sizing</b>	<b>85</b>
<b>4.7.3</b>	<b>Pumps Sizing Procedure</b>	<b>86</b>
<b>4.7.4</b>	<b>Central Heating System Pumps Selection</b>	<b>88</b>
<b>4.7.5</b>	<b>Sizing &amp; Selection of the hot &amp; cold water supply Pumps</b>	<b>89</b>
<b>4.8</b>	<b>Radiators Selection</b>	<b>90</b>

<b>4.9</b>	<b>Hot water cylinder's coil Sizing</b>	<b>90</b>
<b>4.10</b>	<b>Cooper Tube Selection</b>	<b>93</b>
<b>4.11</b>	<b>Insulation Selection</b>	<b>93</b>
<b>4.12</b>	<b>Valves</b>	<b>93</b>

**CHAPTER 5**

<b>COST ANALYSIS</b>	<b>96</b>
----------------------	-----------