DESIGN OF A TOGGLE JACK

Project report submitted by

DEMETRIS PETRIDES

In part satisfaction of the award of diploma of Technician Engineer in Mechanical Engineering of the Higher Technical Institute, Cyprus.

Project supervisor: Mr N. Papanastasiou

Lecturer in Mechanical

Engineering, H.T.I.

Type of project: Individual Group

June, 1989



DESIGN OF A SCREW-JACK by Demetris Petrides

Summary

This textbook deals with the subject of screw jack design. The type of screw jack which was selected for design is a typical one applied in power transmission systems. The power is transmitted through the screw, into two nuts and links for raising or lowering a load of 4KN. It has been required that the area of the jack should not exceed 300mmx300mm, therefore general assumptions concerning the length and width of the parts were made.

The design involves force and stress analysis of the screw and nuts, links, pins, base and finally the top plate at which the load is applied.

In conclusion, all the parts alone first and then in assembly, are computer aided designed.

CONTENTS

Part 1 Mechanical design of a toggle jack	
Introduction	. 1
1 DESIGN OF THE POWER SCREW	: . 4
1.1 Determination of screw diameters	6
1.2 Torque requirements	7
1.3 Principal stresses	8
1.4 Self-locking	9
1.5 Efficiency of screw	9
1.6 Thread stresses	10
1.7 Buckling	12
2 DESIGN OF LINKS	13
2.1 Stress analysis of a link	
3 DESIGN OF PINS	16
3.1 Stress analysis of pin A	16
3.2 Stress analysis of pin B	19
4 DESIGN OF NUTS	
4.1 Stresses in the nut	21
5 DESIGN OF THE TOP PLATE	24
6 DESIGN OF THE BASE	26
7 DESIGN OF SPANNER	27
Part 2 DRAWINGS OF ALL PARTS OF THE JACK	30
APPENDTX	7.0