

**"THE EFFECT OF DOUBLE WALLS AND DOUBLE GLAZING ON  
THE AIR CONDITIONING LOAD OF A BUILDING"**

Project report submitted by :

*GREGORIS THOMA*

In part satisfaction of the award of diploma of  
Technical Engineer in Mechanical Engineering  
of the Higher Technical Institute,  
Nicosia - Cyprus

Project supervisor : Mr. I. Michaelides,  
Senior Lecturer in the Mechanical  
Engineering Department of  
Higher Technical Institute.

Type of project : Individual

MAY 1990

HIGHER TECHNICAL INSTITUTE	PROJECT NO 1720
----------------------------------	--------------------

"The effect of double walls and glazing on the air conditioning load of a building"

SUMMARY

- The aim of this project is to find out all the building materials used in Cyprus, calculate the overall heat transfer coefficient and heating loads and find out which is the most economic.
- Calculations for heating and cooling loads were carried by the use of an H.T.I. programme provided.
- Prices for installing were determined and total cost for installing was calculated.
- Prices of fuel oil and electricity were determined.
- The savings in money for fuel were determined for building properties which are insulated.
- Using the above differences in money the years to pay off were calculated.
- Selection was made based on the years to pay off.
- The project was divided into 7 chapters and detailed drawings showing the building properties.

## LIST OF CONTENTS

	Page
Acknowledgements	I
Summary	II
Introduction	1-2
 <u>CHAPTER 1</u>	
1. Thermal properties of building materials used in Cyprus	3-4
1.1 Walls	3
1.2 Roofs	3
1.3 Floors	3
1.4 Glazing	4
 <u>CHAPTER 2</u>	
2. Insulation	5-9
2.1 The objective and importance of insulation	5
2.2 Insulators	6
2.3 Insulating materials	7
2.3.1 Commonly used insulating materials	7
2.3.2 Other insulating materials	8
2.3.2.1 Lightweight concretes	
2.3.2.2 Cork	
2.3.2.3 Natural fibres	
2.3.2.4 Other materials	
2.4 Advantages of using thermal insulation	9
 <u>CHAPTER 3</u>	
3. Overall coefficient of heat transmission-theory	10-18
3.1 Definition of U-value	10
3.2 General formula	10-11
3.3 Calculation of the U-value	12-18
3.3.1 Walls	

- 3.3.2 Roofs
- 3.3.3 Floors
- 3.3.4 Glazing

#### CHAPTER 4

- 4. Load calculations - Heat losses 19-22
  - 4.1 General heat transfer equation 19
  - 4.2 Effect of direct sunlight on walls 19-20
  - 4.3 Heat transmission through roof and ceiling 20
  - 4.4 Heat transmission through floors 20-21
  - 4.5 Solar radiation through glasses 21-22

#### CHAPTER 5

- 5. Calculations 23-26
  - 5.1 Prove of formulae 23
  - 5.2 Energy expenses for heating (LOADS) 24-25
  - 5.3 Energy expenses for cooling (LOADS) 25-26

#### CHAPTER 6

- 6. Results 27-37
  - 6.1 Results for energy expenses for heating per season
    - 6.1.1 For walls 27
    - 6.1.2 For roofs 28
    - 6.1.3 For floors 29
    - 6.1.4 For glazing 29
  - 6.2 Results of energy expenses for cooling per season
    - 6.2.1 For walls 30
    - 6.2.2 For roofs 31
    - 6.2.3 For floors 32
    - 6.2.4 For glazing 32
  - 6.3 Calculation of expenses for installing 33
    - 6.3.1 For walls 34
    - 6.3.2 For roofs 35
    - 6.3.3 For floors 36
    - 6.3.4 For glazing 37

**CHAPTER 7**

7. Selection	38-54
7.1 Introduction	38
7.2 Procedure for selection	38-40
7.3 Calculation of total cost for installing	40
7.4 For walls	41-42
7.5 For roofs	43-48
7.6 For floors	48-50
7.7 For glazing	51-54
Conclusions	55
Appendices	57